

09-22-00

A

**UTILITY PATENT APPLICATION TRANSMITTAL**  
**(Small Entity)**

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.  
43630.00045

Total Pages in this Submission

**TO THE ASSISTANT COMMISSIONER FOR PATENTS**Box Patent Application  
Washington, D.C. 20231

Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for an invention entitled:

**SYSTEM AND METHOD FOR GLOBALLY AND SECURELY ACCESSING UNIFIED INFORMATION IN A COMPUTER NETWORK**

and invented by:

Daniel J. Mendez, Mark D. Riggins, Prasad Wagle, Hong Q. Bui, Mason Ng, Sean Michael Quinlan, Christine C. Ying, Christopher R. Zuleeg, David J. Cowan, Joanna A. Aptekar-Strober, R. Stanley Bailes

If a **CONTINUATION APPLICATION**, check appropriate box and supply the requisite information:☒ **Continuation** ☐ **Divisional** ☐ **Continuation-in-part (CIP)** of prior application No.: 08/903,118

Which is a:

☐ **Continuation** ☐ **Divisional** ☒ **Continuation-in-part (CIP)** of prior application No.: 08/766,307

Which is a:

☐ **Continuation** ☐ **Divisional** ☐ **Continuation-in-part (CIP)** of prior application No.:

Enclosed are:

**Application Elements**

1. ☒ Filing fee as calculated and transmitted as described below
2. ☒ Specification having 49 pages and including the following:
  - a. ☒ Descriptive Title of the Invention
  - b. ☒ Cross References to Related Applications (if applicable)
  - c. ☐ Statement Regarding Federally-sponsored Research/Development (if applicable)
  - d. ☐ Reference to Microfiche Appendix (if applicable)
  - e. ☒ Background of the Invention
  - f. ☒ Brief Summary of the Invention
  - g. ☒ Brief Description of the Drawings (if drawings filed)
  - h. ☒ Detailed Description
  - i. ☒ Claim(s) as Classified Below
  - j. ☒ Abstract of the Disclosure

# UTILITY PATENT APPLICATION TRANSMITTAL (Small Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.  
43630.00045

Total Pages in this Submission

## Application Elements (Continued)

3. ☒ Drawing(s) (when necessary as prescribed by 35 USC 113)
- a. ☐ Formal      b. ☒ Informal      Number of Sheets 15
4. ☒ Oath or Declaration
- a. ☐ Newly executed (original or copy)      ☐ Unexecuted
- b. ☒ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional application only)
- c. ☒ With Power of Attorney      ☐ Without Power of Attorney
- d. ☐ DELETION OF INVENTOR(S)  
Signed statement attached deleting inventor(s) named in the prior application,  
see 37 C.F.R. 1.63(d)(2) and 1.33(b).
5. ☒ Incorporation By Reference (usable if Box 4b is checked)  
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☐ Computer Program in Microfiche
7. ☐ Genetic Sequence Submission (if applicable, all must be included)
- a. ☐ Paper Copy
- b. ☐ Computer Readable Copy
- c. ☐ Statement Verifying Identical Paper and Computer Readable Copy

## Accompanying Application Parts

8. ☒ Assignment Papers (cover sheet & documents)
9. ☐ 37 CFR 3.73(b) Statement (when there is an assignee)
10. ☐ English Translation Document (if applicable)
11. ☐ Information Disclosure Statement/PTO-1449      ☐ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Acknowledgment postcard
14. ☒ Certificate of Mailing
- ☐ First Class      ☒ Express Mail (Specify Label No.): EL701360185US

# UTILITY PATENT APPLICATION TRANSMITTAL (Small Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.  
43630.00045

Total Pages in this Submission

## Accompanying Application Parts (Continued)

15. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)
16. ☒ Small Entity Statement(s) - Specify Number of Statements Submitted: 1
17. ☒ Additional Enclosures (please identify below):

General Authorization/Request to Petition for Extensions of Time


## Fee Calculation and Transmittal

### CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	82	- 20 =	62	x \$9.00	\$558.00
Indep. Claims	9	- 3 =	6	x \$39.00	\$234.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					\$0.00
BASIC FEE					\$345.00
OTHER FEE (specify purpose)					\$0.00
TOTAL FILING FEE					\$1,137.00

- ☐ A check in the amount of \_\_\_\_\_ to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. **05-0150** as described below. A duplicate copy of this sheet is enclosed.
- ☒ Charge the amount of **\$1,137.00** as filing fee.
- ☒ Credit any overpayment.
- ☐ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
- ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).

Dated: September 20, 2000



Signature

Marc A. Sockol, Reg. No. 40,823  
Attorney for Applicants  
Squire, Sanders & Dempsey L.L.P.  
600 Hansen Way  
Palo Alto, CA 94304-1043  
Tel: (650) 856-6500  
Fax: (650) 856-3619

CC:

JUL. 30. 1997 3:04PM

NO. 982 P. 9

**COPY**  
Applic  
Serial

Atty. Dkt.No. 287

Applicant: Daniel J. Menden et al.  
Serial or Patent No.: Unknown  
Filed or Issued: Herewith  
For: System and Method for Globally and Securely Accessing Unified Information in a Computer Network

**VERIFIED STATEMENT (DECLARATION) CLAIMING  
SMALL ENTITY STATUS  
(37 CFR 1.9 (f) and 1.27 (c)) - SMALL BUSINESS CONCERN**

**I hereby declare that I am:**

- ☐ the owner of the small business concern identified below:  
☒ an official of the small business concern empowered to  
 act on behalf of the concern identified below:

NAME OF CONCERN RoamPage, Inc.  
ADDRESS OF CONCERN 1937 Landings Drive Mountain View, CA 94043

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.2, and reproduced in 37 CFR 1.9 (d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention, entitled "System and Method for Globally and Securely Accessing Unified Information in a Computer Network" by inventor Daniel J. Mendez et al and described in

- ☒ the specification filed herewith.  
☐ application serial no. \_\_\_\_\_ filed \_\_\_\_\_  
☐ patent no. \_\_\_\_\_ issued \_\_\_\_\_

[illegible]

SIGNATURE [Signature] DATE 7/30/97

[illegible][illegible][illegible]

	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

[illegible][illegible][illegible]

SYSTEM AND METHOD FOR GLOBALLY AND SECURELY ACCESSING UNIFIED  
INFORMATION IN A COMPUTER NETWORK

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims priority to and incorporates by reference parent application U.S. Patent Application No. 08/903,118, entitled "System And Method For Globally And Securely Accessing Unified Information In A Computer Network" of Daniel J. Mendez, Mark D. Riggins, Prasad Wagle, Hong Q. Bui, Mason Ng, Sean Michael Quinlan, Christine C. Ying, Christopher R. Zuleeg, David J. Cowan, Joanna A. Aptekar-Strober and R. Stanley Bailes,

- 5                   which is a continuation-in-part of co-pending patent application entitled
- "System and Method for Globally Accessing Computer Services," serial number
- 08/766,307, filed on December 13, 1996, by inventors Mark D. Riggins, R. Stanley
- Bailes, Hong Q. Bui, David J. Cowan, Daniel J. Mendez, Mason Ng, Sean Michael
- Quinlan, Prasad Wagle, Christine C. Ying, Christopher R. Zuleeg and Joanna A. Aptekar-
- 10   Strober; and of co-pending patent application entitled "System and Method for Enabling
- Secure Access to Services in a Computer Network," serial number 08/841,950, filed on
- April 8, 1997, by inventor Mark Riggins; and of co-pending patent application entitled
- "System and Method for Securely Synchronizing Multiple Copies of a Workspace
- Element in a Network," serial number 08/835,997, filed on April 11, 1997, by inventors
- 15   Daniel J. Mendez, Mark D. Riggins, Prasad Wagle and Christine C. Ying; and of co-
- pending patent application entitled "System and Method for Using a Global Translator to
- Synchronize Workspace Elements Across a Network," serial number 08/865,075, filed on
- May 29, 1997, by inventors Daniel J. Mendez, Mark D. Riggins, Prasad Wagle and
- Christine C. Ying. These applications have been commonly assigned to RoamPage, Inc.
- 20   and are incorporated herein by reference as if copied verbatim hereafter. Benefit of the
- earlier filing dates is claimed on all common subject matter.

## BACKGROUND OF THE INVENTION

### 1. Field of the Invention

This invention relates generally to computer networks, and more particularly provides a system and method for globally and securely accessing unified information in  
5 a computer network.

### 2. Description of the Background Art

The internet currently interconnects about 100,000 computer networks and several  
10 million computers. Each of these computers stores numerous application programs for providing numerous services, such as generating, sending and receiving e-mail, accessing World Wide Web sites, generating and receiving facsimile documents, storing and retrieving data, etc.

A roaming user, i.e., a user who travels and accesses a workstation remotely, is  
15 faced with several problems. Program designers have developed communication techniques for enabling the roaming user to establish a communications link and to download needed information and needed service application programs from the remote workstation to a local computer. Using these techniques, the roaming user can manipulate the data on the remote workstation and, when finished, can upload the  
20 manipulated data back from the remote workstation to the local computer. However, slow computers and slow communication channels make downloading large files and programs a time-consuming process. Further, downloading files and programs across insecure channels severely threatens the integrity and confidentiality of the downloaded data.





## SUMMARY OF THE INVENTION

The present invention provides a system and methods for providing global and secure access to services and to unified (synchronized) workspace elements in a computer network. A user can gain access to a global server using any terminal, which is  
5 connected via a computer network such as the Internet to the global server and which is enabled with a web engine.

A client stores a first set of workspace data, and is coupled via a computer network to a global server. The client is configured to synchronize selected portions of the first set of workspace data (comprising workspace elements) with the global server,  
10 which stores independently modifiable copies of the selected portions. The global server may also store workspace data not received from the client, such as e-mail sent directly to the global server. Accordingly, the global server stores a second set of workspace data. The global server is configured to identify and authenticate a user attempting to access it from a remote terminal, and is configured to provide access based on the client  
15 configuration either to the first set of workspace data stored on the client or to the second set of workspace data stored on the global server. It will be appreciated that the global server can manage multiple clients and can synchronize workspace data between clients.

Service engines for managing services such as e-mail management, accessing bookmarks, calendaring, network access, etc. may be stored anywhere in the computer  
20 network, including on the client, on the global server or on any other computer. The global server is configured to provide the user with access to services, which based on level of authentication management or user preferences may include only a subset of

available services. Upon receiving a service request from the client, the global server sends configuration information to enable access to the service.

Each client includes a base system and the global server includes a synchronization agent. The base system and synchronization agent automatically establish a secure connection therebetween and synchronize the selected portions of the first set of workspace data stored on the client and the second set of workspace data stored on the global server. The base system operates on the client and examines the selected portions to determine whether any workspace elements have been modified since last synchronization. The synchronization agent operates on the global server and informs the base system whether any of the workspace elements in the second set have been modified. Modified version may then be exchanged so that an updated set of workspace elements may be stored at both locations, and so that the remote user can access an updated database. If a conflict exists between two versions, the base system then performs a responsive action such as examining content and generating a preferred version, which may be stored at both locations. The system may further include a synchronization-start module at the client site (which may be protected by a firewall) that initiates interconnection and synchronization when predetermined criteria have been satisfied.

A method of the present invention includes establishing a communications link between the client and the global server. The method includes establishing a communications link between the client and a service based upon user requests. The method receives configuration data and uses the configuration data to configure the client components such as the operating system, the web engine and other components.

Configuring client components enables the client to communicate with the service and provides a user-and-service-specific user interface on the client. Establishing a communications link may also include confirming access privileges.

Another method uses a global translator to synchronize workspace elements. The method includes the steps of selecting workspace elements for synchronization, establishing a communications link between a client and a global server, examining version information for each of the workspace elements on the client and on the global server to determine workspace elements which have been modified since last synchronization. The method continues by comparing the corresponding versions and performing a responsive action. Responsive actions may include storing the preferred version at both stores or reconciling the versions using content-based analysis.

The system and methods of the present invention advantageously provide a secure globally accessible third party, i.e. the global server. The system and methods provide a secure technique for enabling a user to access the global server and thus workspace data remotely and securely. Because of the global firewall and the identification and security services performed by the global server, corporations can store relatively secret information on the global server for use by authorized clients. Yet, the present invention also enables corporations to maintain only a portion of their secret information on the global server, so that there would be only limited loss should the global server be compromised. Further, the global server may advantageously act as a client proxy for controlling access to services, logging use of keys and logging access of resources.

A client user who maintains a work site, a home site, an off-site and the global server site can securely synchronize the workspace data or portions thereof among all

four sites. Further, the predetermined criteria (which control when the synchronization-start module initiates synchronization) may be set so that the general synchronization module synchronizes the workspace data upon user request, at predetermined times during the day such as while the user is commuting, or after a predetermined user action such as user log-off or user log-on. Because the system and method operate over the Internet, the system is accessible using any connected terminal having a web engine such as an internet-enabled smart phone, television settop (e.g., web TV), etc. and is accessible over any distance. Since the system and method include format translation, merging of workspace elements between different application programs and different platforms is possible. Further, because synchronization is initiated from within the firewall, the typical firewall, which prevents in-bound communications and only some protocols of out-bound communications, does not act as an impediment to workspace element synchronization.

Further, a roaming user may be enabled to access workspace data from the global server or may be enabled to access a service for accessing workspace data from a client. For example, a user may prefer not to store personal information on the global server but may prefer to have remote access to the information. Further, the user may prefer to store highly confidential workspace elements on the client at work as added security should the global server be compromised.

The present invention may further benefit the roaming user who needs emergency access to information. The roaming user may request a Management Information Systems (MIS) director controlling the client to provide the global server with the proper keys to enable access to the information on the client. If only temporary access is

desired, the keys can then be later destroyed either automatically or upon request.

Alternatively, the MIS director may select the needed information as workspace elements to be synchronized and may request immediate synchronization with the global server.

Accordingly, the global server and the client can synchronize the needed information, and

- 5 the user can access the information from the global server after it has completed synchronization.

The present invention also enables the system and methods to synchronize keys, available services and corresponding service addresses to update accessibility of

workspace data and services. For example, if the user of a client accesses a site on the

- 10 Internet which requires a digital certificate and the user obtains the certificate, the system and methods of the present invention may synchronize this newly obtained certificate with the keys stored on the global server. Thus, the user need not contact the global server to provide it with the information. The synchronization means will synchronize the information automatically.

## BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a block diagram illustrating a secure data-synchronizing remotely accessible network in accordance with the present invention;

FIG. 2 is a block diagram illustrating details of a FIG. 1 remote terminal;

5 FIG. 3 is a block diagram illustrating details of a FIG. 1 global server;

FIG. 4 is a block diagram illustrating details of a FIG. 1 synchronization agent;

FIG. 5 is a graphical representation of an example bookmark in global format;

FIG. 6 is a graphical representation of the FIG. 3 configuration data;

FIG. 7 is a block diagram illustrating the details of a FIG. 1 client;

10 FIG. 8 is a block diagram illustrating the details of a FIG. 1 base system;

FIG. 9 illustrates an example services list;

FIG. 10 is a flowchart illustrating a method for remotely accessing a secure server;

FIG. 11 is a flowchart illustrating details of the FIG. 10 step of creating a link  
15 between a client and global server;

FIG. 12 is a flowchart illustrating details of the FIG. 10 step of providing access to a service in a first embodiment;

FIG. 13 is a flowchart illustrating details of the FIG. 10 step of providing access to a service in a second embodiment;

20 FIG. 14 is a flowchart illustrating details of the FIG. 10 step of providing access to a service in a third embodiment; and

FIG. 15 is a flowchart illustrating a method for synchronizing multiple copies of a workspace element over a secure network.

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

FIG. 1 is a block diagram illustrating a network 100, comprising a first site such as a remote computer terminal 105 coupled via a communications channel 110 to a global server 115. The global server 115 is in turn coupled via a communications channel 120 to a second site such as a Local Area Network (LAN) 125 and via a communications channel 122 to a third site such as client 167. Communications channel 110, communications channel 120 and communications channel 122 may be referred to as components of a computer network such as the Internet. The global server 115 is protected by a global firewall 130, and the LAN 125 is protected by a LAN firewall 135.

The LAN 125 comprises a client 165, which includes a base system 170 for synchronizing workspace data 180 (e-mail data, file data, calendar data, user data, etc.) with the global server 115 and may include a service engine 175 for providing computer services such as scheduling, e-mail, paging, word-processing or the like. Those skilled in the art will recognize that workspace data 180 may include other types of data such as application programs. It will be further appreciated that workspace data 180 may each be divided into workspace elements, wherein each workspace element may be identified by particular version information 782 (FIG. 7). For example, each e-mail, file, calendar, etc. may be referred to as "a workspace element in workspace data." For simplicity, each workspace element on the client 165 is referred to herein as being stored in format A. It will be further appreciated that the workspace data 180 or portions thereof may be stored at different locations such as locally on the client 165, on other systems in the LAN 125 or on other systems (not shown) connected to the global server 115.



The client 167 is similar to the client 165. However, workspace data stored on the client 167 is referred to as being stored in format B, which may be the same as or different than format A. All aspects described above and below with reference to the client 165 are also possible with respect to the client 167. For example, client 167 may include services (not shown) accessible from remote terminal 105, may include a base system (not shown) for synchronizing workspace elements with the global server 115, etc.

The global server 115 includes a security system 160 for providing only an authorized user with secure access through firewalls to services. The security system 160 may perform identification and authentication services and may accordingly enable multiple levels of access based on the level of identification and authentication. The global server 115 further includes a configuration system 155 that downloads configuration data 356 (FIGs. 3 and 6) to the remote terminal 105 to configure remote terminal 105 components such as the operating system 270 (FIG. 2), the web engine 283 (FIG. 2), the applet engine 290 (FIG. 2), etc. The configuration system 155 uses the configuration data 356 to enable the remote terminal 105 to access the services provided by the service engine 175 and to provide a user-and-service-specific user interface.

The global server 115 stores workspace data 163, which includes an independently modifiable copy of each selected workspace element in the selected portions of the workspace data 180. Accordingly, the workspace data 163 includes an independently modifiable copy of each corresponding version information 782 (FIG. 7). The workspace data 163 may also include workspace elements which originate on the global server 115 such as e-mails sent directly to the global server 115 or workspace

elements which are downloaded from another client (not shown). The global server 115 maintains the workspace data 163 in a format, referred to as a "global format," which is selected to be easily translatable by the global translator 150 to and from format A and to and from format B. As with format A and format B, one skilled in the art knows that the global format actually includes a global format for each information type. For example, there may be a global format for bookmarks (FIG. 5), a global format for files, a global format for calendar data, a global format for e-mails, etc.

The global server 115 also includes a synchronization agent 145 for examining the workspace elements of workspace data 163. More particularly, the base system 170 and the synchronization agent 145, collectively referred to herein as "synchronization means," cooperate to synchronize the workspace data 163 with the selected portions of the workspace data 180. The synchronization means may individually synchronize workspace elements (e.g., specific word processor documents) or may synchronize workspace element folders (e.g., a bookmark folder). Generally, the base system 170 manages the selected portions of the workspace data 180 within the LAN 125 and the synchronization agent 145 manages the selected portions of workspace data 163 within the global server 115. It will be appreciated that the global translator 150 cooperates with the synchronization means to translate between format A (or format B) and the global format. It will be further appreciated that the global server 115 may synchronize the workspace data 163 with workspace data 180 and with the workspace data (not shown) on the client 167. Accordingly, the workspace data 163 can be easily synchronized with the workspace data (not shown) on the client 167.

The remote terminal 105 includes a web engine 140, which sends requests to the global server 115 and receives information to display from the global server 115. The web engine 140 may use HyperText Transfer Protocol (HTTP) and HyperText Markup Language (HTML) to interface with the global server 115. The web engine 140 may be enabled to run applets, which when executed operate as the security interface for providing access to the global server 115 and which operate as the application interface with the requested service. Using the present invention, a user can operate any remote client 105 connected to the Internet to access the global server 115, and thus to access the services and the workspace data on or accessible by the global server 115.

FIG. 2 is a block diagram illustrating details of the remote terminal 105, which includes a Central Processing Unit (CPU) 210 such as a Motorola Power PC™ microprocessor or an Intel Pentium™ microprocessor. An input device 220 such as a keyboard and mouse, and an output device 230 such as a Cathode Ray Tube (CRT) display are coupled via a signal bus 235 to CPU 210. A communications interface 240, a data storage device 250 such as Read Only Memory (ROM) and a magnetic disk, and a Random-Access Memory (RAM) 260 are further coupled via signal bus 235 to CPU 210. The communications interface 240 is coupled to a communications channel 110 as shown in FIG. 1.

An operating system 270 includes a program for controlling processing by CPU 210, and is typically stored in data storage device 250 and loaded into RAM 260 (as shown) for execution. Operating system 270 further includes a communications engine 275 for generating and transferring message packets via the communications interface

240 to and from the communications channel 110. Operating system 270 further includes an Operating System (OS) configuration module 278, which configures the operating system 270 based on OS configuration data 356 (FIG. 3) such as Transmission Control Protocol (TCP) data, Domain Name Server (DNS) addresses, etc. received from the  
5 global server 115.

Operating system 270 further includes the web engine 140 for communicating with the global server 115. The web engine 140 may include a web engine (WE) configuration module 286 for configuring elements of the web engine 140 such as home page addresses, bookmarks, caching data, user preferences, etc. based on the  
10 configuration data 356 received from the global server 115. The web engine 140 may also include an encryption engine 283 for using encryption techniques to communicate with the global server 115. The web engine 140 further may include an applet engine 290 for handling the execution of downloaded applets including applets for providing security. The applet engine 290 may include an Applet Engine (AE) configuration  
15 module 295 for configuring the elements of the applet engine 290 based on configuration data 356 received from the global server 115.

FIG. 3 is a block diagram illustrating details of the global server 115, which includes a Central Processing Unit (CPU) 310 such as a Motorola Power PC™  
20 microprocessor or an Intel Pentium™ microprocessor. An input device 320 such as a keyboard and mouse, and an output device 330 such as a Cathode Ray Tube (CRT) display are coupled via a signal bus 335 to CPU 310. A communications interface 340, a data storage device 350 such as Read Only Memory (ROM) and a magnetic disk, and a

Random-Access Memory (RAM) 370 are further coupled via signal bus 335 to CPU 310. As shown in FIG. 1, the communications interface 340 is coupled to the communications channel 110 and to the communications channel 120.

An operating system 380 includes a program for controlling processing by CPU 310, and is typically stored in data storage device 350 and loaded into RAM 370 (as illustrated) for execution. The operating system 380 further includes a communications engine 382 for generating and transferring message packets via the communications interface 340 to and from the communications channel 345. The operating system 380 also includes a web page engine 398 for transmitting web page data 368 to the remote terminal 105, so that the remote terminal 105 can display a web page 900 (FIG. 9) listing functionality offered by the global server 115. Other web page data 368 may include information for displaying security method selections.

The operating system 380 may include an applet host engine 395 for transmitting applets to the remote terminal 105. A configuration engine 389 operates in conjunction with the applet host engine 395 for transmitting configuration applets 359 and configuration and user data 356 to the remote terminal 105. The remote terminal 105 executes the configuration applets 359 and uses the configuration and user data 356 to configure the elements (e.g., the operating system 270, the web engine 140 and the applet engine 290) of the remote terminal 105. Configuration and user data 356 is described in greater detail with reference to FIG. 6.

The operating system 380 also includes the synchronization agent 145 described with reference to FIG. 1. The synchronization agent 145 synchronizes the workspace data 163 on the global server 115 with the workspace data 180 on the client 165. As

stated above with reference to FIG. 1, the global translator 150 translates between format A used by the client 165 and the global format used by the global server 115.

The operating system 380 may also includes a security engine 392 for determining whether to instruct a communications engine 382 to create a secure communications link with a client 165 or terminal 105, and for determining the access rights of the user. For example, the security engine 392 forwards to the client 165 or remote terminal 105 security applets 362, which when executed by the receiver poll the user and respond back to the global server 115. The global server 115 can examine the response to identify and authenticate the user.

For example, when a client 165 attempts to access the global server 115, the security engine 384 determines whether the global server 115 accepts in-bound communications from a particular port. If so, the security engine 392 allows the communications engine 382 to open a communications channel 345 to the client 165. Otherwise, no channel will be opened. After a channel is opened, the security engine 392 forwards an authentication security applet 362 to the remote terminal 105 to poll the user for identification and authentication information such as for a user ID and a password. The authentication security applet 362 will generate and forward a response back to the global server 115, which will use the information to verify the identity of the user and provide access accordingly.

It will be appreciated that a "request-servicing engine" may be the configuration engine 389 and the applet host engine 395 when providing services to a remote terminal 105 or client 165. The request-servicing engine may be the web page engine 398 when performing workspace data 163 retrieval operations directly from the global server 115.

The request-servicing engine may be the configuration engine 389 and the applet host engine 395 when performing workspace data 180 retrieval operations from the client 165 or from any other site connected to the global server 115. The request-servicing engine may be security engine 392 when performing security services such as user identification and authentication. The request-servicing engine may be the synchronization agent when the performing synchronization with the client 165. Further, the request-servicing engine may be any combination of these components.

FIG. 4 is a block diagram illustrating details of the synchronization agent 145, which includes a communications module 405 and a general synchronization module 410. The communications module 405 includes routines for compressing data and routines for communicating via the communications channel 120 with the base system 170. The communications module 405 may further include routines for communicating securely channel through the global firewall 130 and through the LAN firewall 125.

The general synchronization module 410 includes routines for determining whether workspace elements have been synchronized and routines for forwarding to the base system 170 version information (not shown) of elements determined to be modified after last synchronization. The general synchronization module 410 may either maintain its own last synchronization signature (not shown), receive a copy of the last synchronization signature with the request to synchronize from the base system 170, or any other means for insuring that the workspace data has been synchronized. The general synchronization module 410 further includes routines for receiving preferred versions of workspace data 180 workspace elements from the base system 170, and routines for

forwarding preferred versions of workspace data 180 workspace elements to the base system 170.

FIG. 5 illustrates an example bookmark workspace element in the global format.

5 The translator 150 incorporates all the information needed to translate between all incorporated formats. For example, if for a first client a bookmark in format A needs elements X, Y and Z and for a second client a bookmark in format B needs elements W, X and Y, the global translator 150 incorporates elements W, X, Y and Z to generate a bookmark in the global format. Further, the translator 150 incorporates the information  
10 which is needed by the synchronization means (as described below in FIG. 4) such as the last modified date. Accordingly, a bookmark in the Global Format may include a user identification (ID) 505, an entry ID 510, a parent ID 515, a folder ID flag 520, a name 525, a description 530, the Uniform Resource Locator (URL) 535, the position 540, a deleted ID flag 545, a last modified date 550, a created date 555 and a separation ID flag  
15 560.

FIG. 6 is a block diagram illustrating details of the configuration and user data 356. Configuration data 356 includes settings 605 such as TCP data and the DNS  
address, web browser settings such as home page address, bookmarks and caching data,  
20 applet engine settings, and applet configuration data such as the user's e-mail address, name and signature block. It will be appreciated that applet-specific configuration and user data 356 is needed, since the service may not be located on the user's own local



client 165. Configuration and user data 356 further includes predetermined user preferences 610 such as font, window size, text size, etc.

Configuration data 356 further includes the set of services 615, which will be provided to the user. Services 615 include a list of registered users and each user's list of user-preferred available services 615. Services may also include a list of authentication levels needed to access the services 615. Configuration and user data 137 further includes service addresses 620 specifying the location of each of the services 615 accessible via the global server 115.

FIG. 7 is a block diagram illustrating details of the client 165, which includes a CPU 705, an input device 710, an output device 725, a communications interface 710, a data storage device 720 and RAM 730, each coupled to a signal bus 740.

An operating system 735 includes a program for controlling processing by the CPU 705, and is typically stored in the data storage device 720 and loaded into the RAM 730 (as illustrated) for execution. A service engine 175 includes a service program for managing workspace data 180 that includes version information (not shown). The service engine 175 may be also stored in the data storage device 720 and loaded into the RAM 730 (as illustrated) for execution. The workspace data 180 may be stored in the data storage device 330. As stated above with reference to FIG. 1, the base system 170 operates to synchronize the workspace data 180 on the client 165 with the workspace data 163 on the global server 115. The base system 170 may be also stored in the data storage device 720 and loaded into the RAM 730 (as shown) for execution. The base system 170 is described in greater detail with reference to FIG. 8.

FIG. 8 is a block diagram illustrating details of the base system 170, which includes a communications module 805, a user interface module 810, locator modules 815, a synchronization-start ("synch-start") module 820, a general synchronization module 825 and a content-based synchronization module 830. For simplicity, each module is illustrated as communicating with one another via a signal bus 840. It will be appreciated that the base system 170 includes the same components as included in the synchronization agent 145.

The communications module 805 includes routines for compressing data, and routines for communicating via the communications interface 710 (FIG. 7) with the synchronization agent 145 (FIG. 1). The communications module 805 may include routines for applying Secure Socket Layer (SSL) technology and user identification and authentication techniques (i.e., digital certificates) to establish a secure communication channel through the LAN firewall 135 and through the global firewall 130. Because synchronization is initiated from within the LAN firewall 135 and uses commonly enabled protocols such as HyperText Transfer Protocol (HTTP), the typical firewall 135 which prevents in-bound communications in general and some outbound protocols does not act as an impediment to e-mail synchronization. Examples of communications modules 805 may include TCP/IP stacks or the AppleTalk™ protocol.

The user interface 810 includes routines for communicating with a user, and may include a conventional Graphical User Interface (GUI). The user interface 810 operates in coordination with the client 165 components as described herein.



remote versions to determine if only one or both versions of a particular workspace element have been modified and routines for performing an appropriate synchronizing responsive action. Appropriate synchronizing responsive actions may include forwarding the modified version (as the preferred version) of a workspace element in workspace data 180 or forwarding just a compilation of the changes to the other store(s). Other appropriate synchronizing responsive actions may include, if reconciliation between two modified versions is needed, then instructing the content-based synchronization module 830 to execute its routines (described below).

It will be appreciated that the synchronization agent 145 preferably examines the local version information 124 and forwards only the elements that have been modified since the last synchronization signature 835. This technique makes efficient use of processor power and avoids transferring unnecessary data across the communications channel 712. The general synchronization module 825 in the LAN 135 accordingly compares the data elements to determine if reconciliation is needed. Upon completion of the data synchronization, the general synchronization module 825 updates the last synchronization signature 835.

The content-based synchronization module 830 includes routines for reconciling two or more modified versions of workspace data 163, 180 in the same workspace element. For example, if the original and the copy of a user workspace element have both been modified independently since the last synchronization, the content-based synchronization module 830 determines the appropriate responsive action. The content-based synchronization module 830 may request a user to select the preferred one of the modified versions or may respond based on preset preferences, i.e., by storing both

versions in both stores or by integrating the changes into a single preferred version which replaces each modified version at both stores. When both versions are stored at both stores, each version may include a link to the other version so that the user may be advised to select the preferred version.

5 It will be appreciated that any client 165 that wants synchronization may have a base system 170. Alternatively, one base system 170 can manage multiple clients 165. It will be further appreciated that for a thin client 165 of limited computing power such as a smart telephone, all synchronization may be performed by the global server 115.

10 Accordingly, components of the base system 170 such as the user interface module 810, the locator modules 815, the general synchronization module 825 and the content-based synchronization module 830 may be located on the global server 115. To initiate synchronization from the client 165, the client 165 includes the communications module 805 and the synch-start module 820.

15 FIG. 9 illustrates an example list 900 of accessible services provided by a URL-addressable HyperText Markup Language (HTML)-based web page, as maintained by the web page engine 398 of the global server 115. The list 900 includes a title 910 "Remote User's Home Page," a listing of the provided services 615 and a pointer 970 for selecting one of the provided services 615. As illustrated, the provided services may include an e-mail service 920, a calendaring service 930, an internet access service 940, a paging  
20 service 950, a fax sending service 960, a user authentication service 963 and a workspace data retrieval service 967. Although not shown, other services 615 such as bookmarking, QuickCard™, etc. may be included in the list 900. Although the web page provides the

services 615 in a list 900, other data structures such as a pie chart or table may alternatively be used.

FIG. 10 is a flowchart illustrating a method 1000 for enabling a user to access the services 615 in the computer network system 100. Method 1000 begins by the remote terminal 105 in step 1005 creating a communications link with the global server 115. The global server 115 in step 1010 confirms that the user has privileges to access the functionality of the global server 115. Confirming user access privileges may include examining a user certificate, obtaining a secret password, using digital signature technology, performing a challenge/response technique, etc. It will be appreciated that the security engine 392 may cause the applet host engine 395 to forward via the communications channel 345 to the remote terminal 105 an authentication security applet 362 which when executed communicates with the global server 115 to authenticate the user.

After user access privileges are confirmed, the web page engine 398 of the global server 115 in step 1015 transmits web page data 368 and configuration and user data 356 to the remote terminal 105. The web engine 140 of the remote terminal 105 in step 1020 uses the web page data 368 and the configuration and user data 356 to display a web page service list 900 (FIG. 9) on the output device 230, and to enable access to the services 615 which the global server 115 offers. An example service list 900 is shown and described with reference to FIG. 9. Configuration of the remote terminal 105 and of the web page 700 is described in detail in the cross-referenced patent applications.

From the options listed on the web page 900, the user in step 1025 selects a service 615 via input device 220. In response, the request-servicing engine (described with reference to FIG. 3) provides the selected service 615. For example, the applet host engine 395 of the global server 115 in step 1030 may download to the remote terminal 105 a corresponding applet 359 and configuration and user data 356 for executing the requested service 615. Alternatively, the web page engine 398 may use, for example, HTTP and HTML to provide the selected service 615. As described above with reference to FIG. 6, the configuration and user data 356 may include user-specific preferences such as user-preferred fonts for configuring the selected service 615. Configuration and user data 356 may also include user-specific and service-specific information such as stored bookmarks, calendar data, pager numbers, etc. Alternatively, the corresponding applet 359 and the configuration and user data 356 could have been downloaded in step 1015. Providing access to the service by an applet 359 is described in greater detail below with reference to FIGs. 12-14.

The applet engine 290 of the remote terminal 105 in step 1035 initiates execution of the corresponding downloaded applet. The global server 115 in step 1040 initiates the selected service 615 and in step 1045 selects one of three modes described with reference to FIGs. 12-14 for accessing the service 615. For example, if the user selects a service 615 on a service server (e.g., the client 165) that is not protected by a separate firewall, then the global server 115 may provide the user with direct access. If the user selects a service 615 provided by a service server within the LAN 125, then the global server 115 may access the service 615 as a proxy for the user. It will be appreciated that each firewall 130 and 135 may store policies establishing the proper mode of access the global

server 115 should select. Other factors for selecting mode of access may include user preference, availability and feasibility. The global server 115 in step 1050 uses the selected mode to provide the remote terminal 105 user with access to the selected service 615.

5

FIG. 11 is a flowchart illustrating details of step 1005, which begins by the remote terminal 105 in step 1105 using a known Uniform Resource Locator (URL) to call the global server 115. The global server 115 and the remote terminal 105 in step 1107 create a secure communications channel therebetween, possibly by applying Secure Sockets Layer (SSL) technology. That is, the security engine 392 of the global server 115 in step 1110 determines if in-bound secure communications are permitted and, if so, creates a communications channel with the remote terminal 105. The web engine 140 of the remote terminal 105 and the security engine 392 of the global server 115 in step 1115 negotiate secure communications channel parameters, possibly using public key certificates. An example secure communications channel is RSA with RC4 encryption. Step 1115 thus may include selecting an encryption protocol which is known by both the global server 115 and the remote terminal 105. The encryption engine 283 of the remote terminal 105 and secure communications engine 392 of the global server 115 in step 1120 use the secure channel parameters to create the secure communications channel. Method 505 then ends.

FIG. 12 is a flowchart illustrating details of step 1050 in a first embodiment, referred to as step 1050a, wherein the global server 115 provides the remote terminal 105



with a direct connection to a service 615. Step 1050a begins by the applet engine 290 in step 1205 running a configuration applet 359 for the selected service 615 that retrieves the service address 620 from data storage device 380 and the authentication information from the key safe 365. The communications interface 340 in step 1210 creates a direct and secure connection with the communications interface 340 of the global server 115 at the retrieved service address 620, and uses the authentication information to authenticate itself. The applet in step 1215 acts as the I/O interface with the service 615. Step 1050a then ends.

FIG. 13 is a flowchart illustrating details of step 1050 in a second embodiment, referred to as step 1050b, wherein the global server 115 acts for the remote terminal 105 as a proxy to the service 615. Step 1050b begins with a configuration applet 359 in step 1305 requesting the service address 620 for the selected service 615, which results in retrieving the service address 620 directing the applet 359 to the global server 115. The applet 359 in step 1310 creates a connection with communications interface 340 of the global server 115. The global server 115 in step 1315 retrieves the service address 620 of the selected service 615 and the authentication information for the selected service 615 from the key safe 365. The communications interface 340 of the global server 115 in step 1320 negotiates secure channel parameters for creating a secure channel with the service server 1014. The communications interface 340 in step 1320 also authenticates itself as the user.

Thereafter, the applet 359 in step 1325 acts as the I/O interface with the communications interface 340 of the global server 115. If the global server 115 in step

1330 determines that it is unauthorized to perform a remote terminal 105 user's request, then the global server 115 in step 1345 determines whether the method 1050b ends, e.g., whether the user has quit. If so, then method 1050b ends. Otherwise, method 1050b returns to step 1325 to obtain another request. If the global server 115 in step 1330  
5 determines that it is authorized to perform the remote terminal 105 user's request, then the global server 115 in step 1340 acts as the proxy for the remote terminal 105 to the service 615. As proxy, the global server 115 forwards the service request to the selected service 615 and forwards responses to the requesting applet 359 currently executing on the remote terminal 105. Method 1050b then jumps to step 1345.

10  
FIG. 14 is a flowchart illustrating details of step 1050 in a third embodiment, referred to as step 1050c, wherein the service 615 being requested is located on the global server 115. Step 1050 begins with an applet in step 1405 retrieving the service address 620 for the selected service 615, which results in providing the configuration applet 359  
15 with the service address 620 of the service 615 on the global server 115. Thus, the applet in step 1410 creates a secure connection with the global server 115. No additional step of identification and authentication is needed since the remote terminal 105 has already identified and authenticated itself to the global server 115 as described with reference to step 1010 of FIG. 10.

20 In step 1415, a determination is made whether the service 615 is currently running. If so, then in step 1425 a determination is made whether the service 615 can handle multiple users. If so, then the global server 115 in step 1430 creates an instance for the user, and the applet in step 1440 acts as the I/O interface with the service 615 on

the global server 115. Method 1050c then ends. Otherwise, if the service 615 in step 1425 determines that it cannot handle multiple users, then method 1050c proceeds to step 1440. Further, if in step 1415 the global server 115 determines that the service 615 is not currently running, then the global server 115 in step 1420 initializes the service 615 and proceeds to step 1425.

FIG. 15 is a flowchart illustrating a method 1500 for using a global translator 150 to synchronize workspace data 163 and workspace data 180 in a secure network 100. Method 1500 begins with the user interface 900 in step 1505 enabling a user to select workspace elements of workspace data 163 and workspace data 180 for the synchronization means to synchronize. The locator modules 815 in step 1510 identify the memory locations of the workspace elements in workspace data 163 and workspace data 180. If a selected workspace element does not have a corresponding memory location, such as in the case of adding new workspace elements to the global server 115, then one is selected. The selected memory location may be a preexisting workspace element or a new workspace element. As stated above, workspace element memory location identification may be implemented using intelligent software or dialogue boxes. The general synchronization module 825 in step 1515 sets the previous status of the workspace elements equal to the null set, which indicates that all information of the workspace element has been added.

The synchronization-start module 820 in step 1520 determines whether predetermined criteria have been met which indicate that synchronization of the workspace elements selected in step 1505 should start. If not, then the synchronization-

start module 820 in step 1525 waits and loops back to step 1520. Otherwise, the communications module 805 and the communications module 405 in step 1530 establish a secure communications channel therebetween.

The general synchronization module 825 in step 1535 determines whether any workspace elements have been modified. That is, the general synchronization module 825 in step 1535 examines the version information of each selected workspace element in the workspace data 180 against the last synchronization signature 435 to locate modified workspace elements. This comparison may include comparing the date of last modification with the date of last synchronization, or may include a comparison between the current status and the previous status as of the last interaction. Similarly, the general synchronization module 815 examines the version information of each corresponding workspace element in workspace data 163 and the last synchronization signature 435 to locate modified workspace elements.

If in step 1535 no modified workspace elements or folders are located, then the general synchronization module 825 in step 1560 updates the last synchronization signature 435 and method 1500 ends. Otherwise, the general synchronization module 825 in step 1540 determines whether more than one version of a workspace element has been modified since the last synchronization.

If only one version has been modified, then the corresponding general synchronization module 825 in step 1545 determines the changes made. As stated above, determining the changes made may be implemented by comparing the current status of the workspace element against the previous status of the workspace element as of the last interaction therebetween. If the changes were made only to the version in the workspace

data 163, then the global translator 150 in step 1550 translates the changes to the format used by the other store, and the general synchronization module 410 in step 1555 forwards the translated changes to the general synchronization module 825 for updating the outdated workspace element in the workspace data 180. If the updated version is a workspace element in the workspace data 180, then the general synchronization module 825 sends the changes to the updated version to the global translator 150 for translation and then to the general synchronization module 410 for updating the outdated workspace element in the workspace data 163. The general synchronization module 825 and the general synchronization module 410 in step 1557 update the previous state of the workspace element to reflect the current state as of this interaction. Method 1500 then returns to step 1535.

If the general synchronization module 825 in step 1540 determines that multiple versions have been modified, then the general synchronization module 825 in step 1565 computes the changes to each version and in step 1570 instructs the content-based synchronization module 830 to examine content to determine if any conflicts exist. For example, the content-based synchronization module 830 may determine that a conflict exists if a user deletes a paragraph in one version and modified the same paragraph in another version. The content-based synchronization module 830 may determine that a conflict does not exist if a user deletes different paragraphs in each version. If no conflict is found, then method 1500 jumps to step 1550 for translating and forwarding the changes in each version to the other store. However, if a conflict is found, then the content-based synchronization module 830 in step 1575 reconciles the modified versions. As stated above, reconciliation may include requesting instructions from the user or based on

previously selected preferences performing responsive actions such as storing both versions at both stores. It will be appreciated that a link between two versions may be placed in each of the two versions, so that the user will recognize to examine both versions to select the preferred version. Method 1500 then proceeds to step 1550.

5           It will be further appreciated that in step 1510 new workspace elements and preexisting workspace elements to which new workspace elements will be merged are set to "modified" and the previous status is set to the null set. Thus, the general synchronization module 825 in step 1540 will determine that more than one version has been modified and the content-based synchronization module 830 in step 1570 will  
10       determine that no conflict exists. The changes in each will be translated and forwarded to the other store. Accordingly, the two versions will be effectively merged and stored at each store.

For example, if a first bookmark folder was created by the web engine 140 on the client 165, a second folder was created by a web engine 140 on the remote terminal 105,  
15       no preexisting folder existed on the global server 115 and the user selected each of these folders for synchronization, then the synchronization means will effectively merge the first and second folders. That is, the general synchronization module 825 on the client 165 will determine that the first folder has been modified and the previous status is equal to the null set. The general synchronization module 825 will determine and send the  
20       changes, i.e., all the workspace elements in the first folder, to a new global folder on the global server 115. Similarly, the general synchronization module (not shown) on the remote terminal 105 will determine that, as of its last interaction, the previous status of each of the second and the global folders is the null set. The general synchronization

module 825 will instruct the content-based synchronization module 830 to examine the changes made to each folder to determine whether a conflict exists. Since no conflicts will exist, the general synchronization module 825 will forward the changes to the global folder and the general synchronization module 410 will forward its changes to the second store, thereby merging the workspace elements of the first and second folders in the global and second folders. The general synchronization module 410 will inform the general synchronization module 825 that the global folder has been modified relative to the last interaction, and will forward the new changes to the first folder. Thus, the first and second folders will be merged and stored at each store.

The foregoing description of the preferred embodiments of the invention is by way of example only, and other variations of the above-described embodiments and methods are provided by the present invention. For example, a server can be any computer which is polled by a client. Thus, the remote terminal 105 may be referred to as a type of client. Although the system and method have been described with reference to applets, other downloadable executables such as Java™ applets, Java™ applications or ActiveX™ control developed by the Microsoft Corporation can alternatively be used. Components of this invention may be implemented using a programmed general-purpose digital computer, using application specific integrated circuits, or using a network of interconnected conventional components and circuits. The embodiments described herein have been presented for purposes of illustration and are not intended to be exhaustive or limiting. Many variations and modifications are possible in light of the foregoing teaching. The invention is limited only by the following claims.

WHAT IS CLAIMED IS:

1. A system operating in a computer network having a service, comprising:
  - (a) a server apparatus including
    - (i) a synchronization agent for determining modification of a server  
5 workspace element and generating server results; and
    - (ii) a control engine for providing control of the service;
  - (b) a client apparatus including
    - (i) a communications engine for communicating with the server and  
for receiving the server results from the server; and
    - (ii) means for determining modification of a client workspace element,  
10 for generating client results, for comparing the client results with the  
server results, and for performing a responsive synchronization action; and
  - (c) a request-servicing engine for communicating with the control engine and  
for controlling the service.
- 15 2. The system of claim 1, wherein  
the server workspace element includes server version information; and  
the synchronization agent examines the server version information against a last  
synchronization signature to determine whether the server workspace element has been  
20 modified.
3. The system of claim 2, wherein the synchronization agent updates the server  
version information.



4. The system of claim 1, wherein the server further includes a configuration engine for delivering configuration data which configures the service.

5 5. The system of claim 1, wherein the server further includes a configuration engine for delivering configuration data which configures the control engine.

6. The system of claim 1, wherein the client workspace element includes client version information and the means for determining compares the client version  
10 information against a last synchronization signature to determine whether the client workspace element has been modified.

7. The system of claim 6, wherein the means for determining updates the client version information.

15 8. The system of claim 1, wherein the server uses a global format to store the server workspace element, the client uses a client format to store the client workspace element and the server further includes a global translator for translating between the client format and the global format.

20 9. The system of claim 1, wherein the server further includes a security engine for identifying and authenticating a user before enabling access from a remote client.

10. The system of claim 1, wherein the client is protected by a firewall.

11. The system of claim 10, wherein the server further includes a key for enabling communication through the firewall.

5

12. The system of claim 1, wherein the client further includes a synchronization-start module for initiating the communications engine to establish a communications channel with the server.

10 13. The system of claim 1, wherein the responsive synchronization action includes generating a preferred version from the server workspace element and the client workspace element.

14. The system of claim 13, wherein the client further includes a synchronization  
15 module for examining the content of the server workspace element and of the client workspace element when the means for determining cannot generate a preferred version because a conflict exists.

15. The system of claim 1, wherein the control engine includes an applet host engine  
20 for transmitting an applet which controls the service to the request-servicing engine and the request-servicing engine includes an applet engine for executing the applet.

16. The system of claim 1, further comprising a user interface coupled to the control engine and enabling a user to request access to the service.

17. The system of claim 16, wherein the service enables access to the client

5 workspace element.

18. The system of claim 1, wherein the service uses the client workspace element.

19. The system of claim 1, wherein the service uses the server workspace element.

10

20. The system of claim 1, wherein the service is located on the server.

21. The system of claim 1, wherein the service is located on the client.

15

22. The system of claim 1, wherein the computer network includes a computer providing the service.

23. A system capable of providing a service and a version-synchronized workspace element from a requesting client, comprising:

20

a storage medium storing an address pointing to said service;

a communications interface for establishing a communications link with the client;

a request-servicing engine coupled to the communications interface for receiving a request for access to said service from the client; and

access-providing means coupled to the storage medium and the client interface for providing access to said service to the client.

5

24. The system of claim 23, wherein the storage medium further stores an address pointing to the workspace element.

10

25. The system of claim 23, further comprising a synchronization-start module for initiating the communications interface to establish a communications link.

26. The system of claim 23, wherein the service is located on a remote computer.

27. The system of claim 23, wherein the system includes the service.

15

28. The system of claim 23, wherein the service is located on the client.

29. The system of claim 28, wherein the client is protected by a firewall.

20

30. The system of claim 29, wherein the client further comprises a synchronization-start module for initiating the communications interface to establish a communications link.

31. The system of claim 29, further comprising a key to enable access through the firewall.

32. The system of claim 23, further comprising a security engine for performing  
5 identification and authentication services before providing access to the service to the client.

33. The system of claim 23, wherein the request-servicing engine receives a request  
from a remote client.

10

34. The system of claim 33, wherein the remote client receives the request from a user.

35. The system of claim 23, wherein the access-providing means delivers an applet  
15 which controls the service to the client.

36. The system of claim 35, further comprising an applet host engine.

37. The system of claim 23, further comprising synchronization means for  
20 synchronizing the workspace element.

38. The system of claim 37, wherein the workspace element includes version information.

39. The system of claim 37, further comprising

a synchronization agent for examining a system workspace element and  
generating system results; and

5 a general-synchronization module for examining a workspace element on the  
client, for generating client results, for comparing the client results and the system results,  
and for performing a responsive synchronization response.

40. The system of claim 39, wherein the responsive synchronization response

10 includes generating a preferred version.

41. The system of claim 23, wherein the service uses the workspace element.

42. A system capable of providing a service and a version-synchronized workspace

15 element from a requesting client, comprising:

storage means storing an address pointing to said service;

communications means for establishing a communications link with the client;

request-receiving means coupled to the communications means for receiving a  
request for access to said service from the client; and

20 access-providing means coupled to the storage means and the establishing means  
for providing access to said service to the client.

43. A computer-readable storage medium storing program code for causing a computer to perform the steps of:

- storing an address pointing to said service;
- establishing a communications link with the client;
- 5 receiving a request for access to said service from the client; and
- providing access to said service to the client.

44. A method capable of providing a service and a version-synchronized workspace element from a requesting client, comprising the steps of:

- 10 storing an address pointing to said service;
- establishing a communications link with the client;
- receiving a request for access to said service from the client; and
- providing access to said service to the client.

15 45. A system capable of providing a service and a version-synchronized workspace element from a requesting client, comprising:

- a storage medium storing an address pointing to said workspace element;
- a communications interface for establishing a communications link with the client;
- 20 a request-servicing engine coupled to the communications interface for receiving a request for access to said workspace element from the client; and
- means coupled to the storage medium and the client interface for providing access to said workspace element to the client.

46. The system of claim 45, wherein the storage medium further stores an address pointing to the service.

5 47. The system of claim 45, further comprising a synchronization-start module for initiating the communications interface to establish a communications link.

48. The system of claim 45, wherein the service is located on a remote computer.

10 49. The system of claim 45, wherein the system includes the service.

50. The system of claim 45, wherein the service is located on the client.

51. The system of claim 50, wherein the client is protected by a firewall.

15

52. The system of claim 51, wherein the client further comprises a synchronization-start module for initiating the communications interface to establish a communications link.

20 53. The system of claim 51, further comprising a key to enable access through the firewall.



54. The system of claim 45, further comprising a security engine for performing identification and authentication services before providing access to the workspace element to the client.

5 55. The system of claim 45, wherein the request-servicing engine receives a request from a remote client.

56. The system of claim 55, wherein the remote client receives the request from a user.

10

57. The system of claim 45, wherein the access-providing means delivers an applet which controls the service to the client.

58. The system of claim 57, further comprising an applet host engine.

15

59. The system of claim 45, further comprising synchronization means for synchronizing the workspace element.

20

60. The system of claim 59, wherein the workspace element includes version information.

61. The system of claim 59, further comprising

a synchronization agent for examining a system workspace element and  
generating system results; and

a general-synchronization module for examining a workspace element on the  
client, for generating client results, for comparing the client results and the system results,  
5 and for performing a responsive synchronization response.

62. The system of claim 61, wherein the responsive synchronization response  
includes generating a preferred version.

10 63. The system of claim 45, wherein the service uses the workspace element.

64. A system capable of providing a service and a version-synchronized workspace  
element from a requesting client, comprising:

storage means storing an address pointing to said workspace element;

15 communications means for establishing a communications link with the client;

request-servicing means coupled to the communications means for receiving a  
request for access to said workspace element from the client; and

access-providing means coupled to the storage means and the request-servicing  
means for providing access to said workspace element to the client.

20

65. A computer-readable storage medium storing program code for causing the  
computer to perform the steps of:

storing an address pointing to said workspace element;

establishing a communications link with the client;  
receiving a request for access to said workspace element from the client; and  
providing access to said workspace element to the client.

5 66. A method capable of providing a service and a version-synchronized workspace  
element from a requesting client, comprising the steps of:

storing an address pointing to said workspace element;

establishing a communications link with the client;

receiving a request for access to said workspace element from the client; and

10 providing access to said workspace element to the client.

67. The method of claim 66, further comprising the step of storing an address  
pointing to the service.

15 68. The method of claim 66, wherein the service is located on a remote computer.

69. The method of claim 66, wherein the service is located on the client.

70. The method of claim 69, wherein the client is protected by a firewall.

20

71. The method of claim 69, further comprising the step of initiating establishing a  
communications link from the client.

72. The method of claim 69, further comprising the step of using a key to enable access through the firewall.

73. The method of claim 66, further comprising the step of performing identification  
5 and authentication services before providing access to the workspace element.

74. The method of claim 66, further comprising the step of receiving a request from a remote client.

10 75. The method of claim 74, further comprising the step of receiving the request from a user.

76. The method of claim 66, further comprising the step of delivering an applet which controls the service to the client.

15 77. The method of claim 66, further comprising the step of synchronizing the workspace element.

20 78. The method of claim 77, wherein the workspace element includes version information.

79. The method of claim 77, further comprising the steps of examining a system workspace element and generating system results; and

examining a workspace element on the client;  
generating client results;  
comparing the client results and the system results; and  
performing a responsive synchronization response.

5

80. The method of claim 79, further comprising step of generating a preferred version.

81. The method of claim 66, wherein the service uses the workspace element.

10 82. The system of claim 1, further comprising a user interface coupled to the applet engine and enabling a user to request access to the server workspace element.

SYSTEM AND METHOD FOR GLOBALLY AND SECURELY ACCESSING  
UNIFIED INFORMATION IN A COMPUTER NETWORK

ABSTRACT OF THE DISCLOSURE

5           A client stores a first set of workspace data, and is coupled via a computer  
network to a global server. The client may be configured to synchronize portions of the  
first set of workspace data with the global server, which stores independently modifiable  
copies of the portions. The global server may also store workspace data which is not  
downloaded from the client, and thus stores a second set of workspace data. The global  
10 server may be configured to identify and authenticate a user seeking global server access  
from a remote terminal, and is configured to provide access to the first set or to the  
second set. Further, services may be stored anywhere in the computer network. The  
global server may be configured to provide the user with access to the services. The  
system may further include a synchronization-start module at the client site (which may  
15 be protected by a firewall) that initiates interconnection and synchronization with the  
global server when predetermined criteria have been satisfied.









# Synchronization Agent




FIG. 4

Global Format Bookmark  
(example)

User ID	~505
Entry ID	~510
Parent ID	~515
Is Folder?	~520
Name	~525
Description	~530
URL	~535
Position	~540
Is Deleted	~545
Last Modified Date	~550
Created Date	~555
Separation After?	~560

500  
↙

FIG. 5

Configuration  
and user data  
356





FIG. 6



Base system 170



900

Remote User's Home Page ~ 910

E-mail ~ 920

Calendaring ~ 930

Internet Access ~ 940

Paging ~ 950

Sending Faxes ~ 960

User Authentication ~ 963

Workspace Data Retrieval ~ 967

615

FIG. 9





Create link  
between Client &  
Server 1035




FIG. 11




FIG. 12 (redirect)

Method 1050b  
Service




FIG. 13 (proxy)





FIG. 14  
(direct to data)



ATTORNEY'S DOCKET NO.: 787

**DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled "System and Method for Globally and Securely Accessing Unified Information in a Computer Network," the specification of which (check one):

☒ is attached hereto.

☐ was filed on \_\_\_\_\_ as U.S. Application No. \_\_\_\_\_  
or PCT International Application No. \_\_\_\_\_  
and was amended on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code §119(a)-(d) or §365(b) of any foreign application(s) for patent or inventor's certificate, or §365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below any foreign application for patent or inventor's certificate, or PCT International application, having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

Priority Claimed

_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/> Yes	<input type="checkbox"/> No

I hereby claim the benefit under Title 35, United States Code §119(e) of any United States provisional application(s) listed below.

(Application Number)

(Filing Date)

(Application Number)

(Filing Date)

I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s), or §365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code §112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, §1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

08/766,307

12/13/96

Pending

(Application Number)

(Filing Date)

(Status -- patented, pending, abandoned)

08/841,950

4/8/97

Pending

(Application Number)

(Filing Date)

(Status -- patented, pending, abandoned)

08/835,997

4/11/97

Pending

(Application Number)

(Filing Date)

(Status -- patented, pending, abandoned)

08/865,075

5/29/97

Pending

(Application Number)

(Filing Date)

(Status -- patented, pending, abandoned)

**POWER OF ATTORNEY:** I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

John S. Ferrell, Reg. No. 34,593; J. Eppa Hite, Reg. No. 30,266;  
Gregory J. Koerner, Reg. No. 38,519 and Marc A. Sockol, Reg. No. P-40,823

**SEND ALL CORRESPONDENCE TO:**

Marc A. Sockol  
CARR, DEFILIPPO & FERRELL, LLP  
2225 East Bayshore Road, Suite 200  
Palo Alto, CA 94303  
TEL: (415) 812-3407  
FAX: (415) 812-3444

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of first joint inventor: David J. Mendez

Inventor's signature [Signature] Dated: 7/30/97

Residence 275 Gloria Circle, Menlo Park, CA 94025

Post Office Address same Citizenship USA

Full name of second joint inventor: Mark D. Higgins

Inventor's signature [Signature] Dated:           

Residence 5818 Moraga Avenue, San Jose, CA 95123

Post Office Address same Citizenship USA

Full name of third joint inventor: Prasad Wagle

Inventor's signature [Signature] Dated:           

Residence 2831 Pruneridge Avenue, Santa Clara, CA 95051

Post Office Address same Citizenship India



Full name of fourth joint inventor: Hong Q. Bul  
Inventor's signature [Signature] Dated: 7/30/97  
Residence 10250 Parkwood Drive #4, Cupertino, CA 95014  
Post Office Address same Citizenship USA

Full name of fifth joint inventor: Mason Ng  
Inventor's signature [Signature] Dated: 7/30/97  
Residence 217 Ada Avenue, #11, Mountain View, CA 94043  
Post Office Address same Citizenship USA

Full name of sixth joint inventor: Sean Michael Quinlan  
Inventor's signature [Signature] Dated: 7/30/97  
Residence 155 Haight Street, #211, San Francisco, CA 94102  
Post Office Address same Citizenship USA

Full name of seventh joint inventor: Christine C. Ying  
Inventor's signature [Signature] Dated: 7/30/97  
Residence 1204 Moonsail Lane, Foster City, CA 94404  
Post Office Address same Citizenship USA

Full name of eighth joint inventor: Christopher R. Zuleeg

Inventor's signature Christopher K. Suley Dated: 7/30/97

Residence 5524 Blossom Vista Avenue, San Jose, CA 95124

Post Office Address same Citizenship USA

Full name of ninth joint inventor: David J. Cowan

**Inventor's signature** \_\_\_\_\_ **Dated:** \_\_\_\_\_

**Residence** 3000 Sand Hill Road, #3-225, Menlo Park, CA 94043

Post Office Address same Citizenship USA

Full name of tenth joint inventor: Joanna A. Aptekar-Strober

Inventor's signature \_\_\_\_\_ Dated: \_\_\_\_\_

**Residence** 3000 Sand Hill Road, #3-225, Menlo Park, CA 94043

Post Office Address same Citizenship USA

Full name of eleventh joint inventor: R. Stanley Bailes

Inventor's signature \_\_\_\_\_ Dated: \_\_\_\_\_

**Residence** 4829 Bela Drive, San Jose, CA 95129

Post Office Address same Citizenship USA

COMBINED DECLARATION FOR PATENT APPLICATION & POWER  
OF ATTORNEY

DOCKET NO.: 40827.00009

As a below named inventor, I hereby declare that:

The information given herein is true;

My residence, post office address and citizenship are as stated below next to my name;

I BELIEVE I AM THE ORIGINAL, FIRST AND SOLE INVENTOR (if only one name is listed below) OR AN ORIGINAL,  
FIRST AND JOINT INVENTOR (if plural names are listed below) OF THE SUBJECT MATTER WHICH IS CLAIMED AND  
FOR WHICH A PATENT IS SOUGHT ON THE INVENTION ENTITLED:SYSTEM AND METHOD FOR GLOBALLY AND SECURELY ACCESSING UNIFIED  
INFORMATION IN A COMPUTER NETWORK

the specification of which (check only one item below):

- ☐ is attached hereto;
- ☒ was filed on July 30, 1997 as United States  
Application Serial No. 08/803,118  
and was amended on \_\_\_\_\_ (if applicable).
- ☐ was filed on \_\_\_\_\_ as PCT International  
Application Serial No. \_\_\_\_\_  
and was amended under PCT Article 19 \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the content of the above-identified specification, including the claims, as  
amended by any amendment referred to above.I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37,  
Code of Federal Regulations Section 1.56(a).

I hereby claim the benefit under Title 35, United States, §119(e) of any United States provisional application(s) listed below.

(Application Serial No.)

(Filing Date)

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 of any foreign application(s) for patent or  
inventor's certificate or any PCT international application(s) designating at least one country other than the United States of  
America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT  
international application(s) designating at least one country other than the United States of America having a filing date before that  
of the application(s) on which priority is claimed.FOREIGN APPLICATION(S), IF ANY, FILED WITHIN 12 (6 if a Design) MONTHS PRIOR TO THE FILING DATE OF THIS  
APPLICATION THE PRIORITY OF WHICH WHERE PERMITTED IS HEREBY CLAIMED UNDER 35 U.S.C. SEC. 119.

COUNTRY	APPLICATION OF NUMBER	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)	PRIORITY CLAIMED	
				<input type="checkbox"/> yes	<input type="checkbox"/>
				<input type="checkbox"/> yes	<input type="checkbox"/>
				<input type="checkbox"/> yes	<input type="checkbox"/>

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) or PCT international  
application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the  
claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35,  
United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal  
Regulations, Section 1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international  
filing date of this application.

COPY

COMBINED DECLARATION FOR PATENT APPLICATION & POWER OF ATTORNEY - Continued				ATTORNEY'S DOCKET NO: 40827.00009	
U.S. APPLICATION NO.		U.S. FILING DATE		PATENTED	
				PENDING	
				ABANDONED	
08/766,307		12/13/96		Allowed	
08/841,950		04/08/97		Pending	
08/835,997		04/11/97		Allowed	
08/865,075		05/29/97		Allowed	
PCT APPLICATIONS DESIGNATING THE U.S.					
PCT APPLICATION NO.		PCT FILING DATE		U.S. SERIAL NUMBERS	
<p>POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or Agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.</p> <p>David L. Fehman, Reg. No. 28,600; David L. Henty, Reg. No. 31,323; William J. Robinson, Reg. No. 29,430; Stuart L. Merkadeau, Reg. No. 33,262; David B. Abel Reg. No. 32,394; Hisako Muramatsu, Reg. No. 34,955; Vincent J. Belusko, Reg. No. 30,820; Minda Schechter, Reg. No. 38,296; Victor De Gyafas, Reg. No. 40,583; Wayne Smith, Reg. No. 42,160; Stefan J. Kirchanski, Reg. No. 36,568; Alma P. Levy, Reg. No. 43,751; Martin M. Noonan, Reg. No. 44,264; David T. Yang, Reg. No. 44,415; Marc A. Sockol Reg. No. 40,823; Benjamin M. Rubin, Reg. No. 44,310.</p>					
Send correspondence to		GRAHAM & JAMES LLP 600 Hansen Way Palo Alto, CA 94304-1043		Direct Phone Calls To: Marc A. Sockol: 650-856-6500	
1	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
		MELENDEZ	DANIEL	J.	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
		Menlo Park	California	US	
	POST OFFICE ADDRESS	STREET	CITY	STATE OR COUNTRY	ZIP CODE
		275 Gloria Circle	Menlo Park	CA	94025
2	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
		RIGGINS	MARK	D.	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
		Mercer Island	Washington	US	
	POST OFFICE ADDRESS	STREET	CITY	STATE OR COUNTRY	ZIP CODE
		3002 89th Place SE	Mercer Island	WA	98040
3	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
		WAGLE	PRASAD	—	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
		Santa Clara	California	India	
	POST OFFICE ADDRESS	STREET	CITY	STATE OR COUNTRY	ZIP CODE
		2831 Pruneridge Avenue	Santa Clara	CA	95051
4	FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
		BUI	HONG	Q.	
	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
		Cupertino	California	US	
	POST OFFICE ADDRESS	STREET	CITY	STATE OR COUNTRY	ZIP CODE
		10250 Parkwood Drive #4	Cupertino	CA	95014
<p>I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.</p>					
Signature Of Inventor 1		Signature Of Inventor 2		Signature Of Inventor 3	
		<i>[Signature]</i>			
DATE		DATE		DATE	
		<i>[Signature]</i>			

COMBINED DECLARATION FOR PATENT APPLICATION & POWER OF ATTORNEY - Continued				ATTORNEY'S DOCKET NO: 40827.00009	
5	FULL NAME OF INVENTOR	LAST NAME NG	FIRST NAME MASON	MIDDLE NAME —	
	RESIDENCE & CITIZENSHIP	CITY Mountain View	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 217 Ada Avenue, # 11	CITY Mountain View	STATE OR COUNTRY CA	ZIP CODE 94043
6	FULL NAME OF INVENTOR	LAST NAME QUINLAN	FIRST NAME SEAN	MIDDLE NAME MICHAEL	
	RESIDENCE & CITIZENSHIP	CITY San Francisco	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 155 Haight Street, #211	CITY San Francisco	STATE OR COUNTRY CA	ZIP CODE 94102
7	FULL NAME OF INVENTOR	LAST NAME YING	FIRST NAME CHRISTINE	MIDDLE NAME C.	
	RESIDENCE & CITIZENSHIP	CITY Foster City	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 1204 Moonsail Lane	CITY Foster City	STATE OR COUNTRY CA	ZIP CODE 94404
8	FULL NAME OF INVENTOR	LAST NAME ZULEEG	FIRST NAME CHRISTOPHER	MIDDLE NAME R.	
	RESIDENCE & CITIZENSHIP	CITY San Jose	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 5524 Blossom Vista Avenue	CITY San Jose	STATE OR COUNTRY CA	ZIP CODE 95124
I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.					
Signature Of Inventor 5		Signature Of Inventor 6		Signature Of Inventor 7	
DATE		DATE		DATE	

COMBINED DECLARATION FOR PATENT APPLICATION & POWER OF ATTORNEY - Continued				ATTORNEY'S DOCKET NO: 40827.00009	
9	FULL NAME OF INVENTOR	LAST NAME COWAN	FIRST NAME DAVID	MIDDLE NAME J.	
	RESIDENCE & CITIZENSHIP	CITY Menlo Park	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 3000 Sand Hill Road, #3-225	CITY Menlo Park	STATE OR COUNTRY CA	ZIP CODE 94043
10	FULL NAME OF INVENTOR	LAST NAME APTEKAR-STROBER	FIRST NAME JOANNA	MIDDLE NAME A.	
	RESIDENCE & CITIZENSHIP	CITY Menlo Park	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 3000 Sand Hill Road, #3-225	CITY Menlo Park	STATE OR COUNTRY CA	ZIP CODE 94043
11	FULL NAME OF INVENTOR	LAST NAME BAILES	FIRST NAME R.	MIDDLE NAME STANLEY	
	RESIDENCE & CITIZENSHIP	CITY San Jose	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 4829 Bela Drive	CITY San Jose	STATE OR COUNTRY CA	ZIP CODE 95129
I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.					
Signature Of Inventor 9		Signature Of Inventor 10		Signature Of Inventor 11	
DATE		DATE		DATE	
				Signature Of Inventor 12	
				DATE	

COPY

COMBINED DECLARATION FOR PATENT APPLICATION & POWER  
OF ATTORNEY

DOCKET NO.: 40827.00009

As a below named inventor, I hereby declare that:

The information given herein is true:

My residence, post office address and citizenship are as stated below next to my name:

I BELIEVE I AM THE ORIGINAL, FIRST AND SOLE INVENTOR (if only one name is listed below) OR AN ORIGINAL,  
FIRST AND JOINT INVENTOR (if plural names are listed below) OF THE SUBJECT MATTER WHICH IS CLAIMED AND  
FOR WHICH A PATENT IS SOUGHT ON THE INVENTION ENTITLED:SYSTEM AND METHOD FOR GLOBALLY AND SECURELY ACCESSING UNIFIED  
INFORMATION IN A COMPUTER NETWORK

the specification of which (check only one item below):

- ☐ is attached hereto;
- ☒ was filed on July 30, 1997 as United States  
Application Serial No. 08/903,118  
and was amended on \_\_\_\_\_ (if applicable).
- ☐ was filed on \_\_\_\_\_ as PCT International  
Application Serial No. \_\_\_\_\_  
and was amended under PCT Article 19 \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the content of the above-identified specification, including the claims, as  
amended by any amendment referred to above.I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37,  
Code of Federal Regulations Section 1.56(a).

I hereby claim the benefit under Title 35, United States, §119(e) of any United States provisional application(s) listed below.

(Application Serial No.) \_\_\_\_\_

(Filing Date) \_\_\_\_\_

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 of any foreign application(s) for patent or  
inventor's certificate or any PCT international application(s) designating at least one country other than the United States of  
America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT  
international application(s) designating at least one country other than the United States of America having a filing date before that  
of the application(s) on which priority is claimed.FOREIGN APPLICATION(S), IF ANY, FILED WITHIN 12 (6 if a Design) MONTHS PRIOR TO THE FILING DATE OF THIS  
APPLICATION THE PRIORITY OF WHICH WHERE PERMITTED IS HEREBY CLAIMED UNDER 35 U.S.C. SEC. 119.

COUNTRY	APPLICATION OF NUMBER	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)	PRIORITY CLAIMED
				<input type="checkbox"/> yes <input type="checkbox"/>
				<input type="checkbox"/> yes <input type="checkbox"/>
				<input type="checkbox"/> yes <input type="checkbox"/>

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) or PCT international  
application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the  
claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35,  
United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal  
Regulations, Section 1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international  
filing date of this application.

131/198339.01.00

012400/1757/4 LOCATION:6508563619

1

RX TIME 01/26 '00 11:23

COMBINED DECLARATION FOR PATENT APPLICATION & POWER OF ATTORNEY - Continued			ATTORNEY'S DOCKET NO: 40827.00009	
U.S. APPLICATION NO.	U.S. FILING DATE	PATENTED	PENDING	ABANDONED
08766,307	12/13/96		Allowed	
08841,950	04/08/97		Pending	
08835,997	04/11/97		Allowed	
08865,075	05/29/97		Allowed	
PCT APPLICATIONS DESIGNATING THE U.S.				
PCT APPLICATION NO.	PCT FILING DATE	U.S. SERIAL NUMBERS		
<p>POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or Agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.</p> <p>David L. Fehrmann, Reg. No. 28,600; David L. Henty, Reg. No. 31,323; William J. Robinson, Reg. No. 29,430; Stuart L. Merkadeau, Reg. No. 33,262; David B. Abel Reg. No. 32,394; Hisako Muramatsu, Reg. No. 34,955; Vincant J. Belusko, Reg. No. 30,820; Minda Schechter, Reg. No. 38,296; Victor De Gyartas, Reg. No. 40,583; Wayne Smith, Reg. No. 42,160; Stefan J. Kirchanski, Reg. No. 36,568; Alma P. Levy, Reg. No. 43,751; Martin M. Noonan, Reg. No. 44,264; David T. Yang, Reg. No. 44,415; Marc A. Sockol Reg. No. 40,823; Benjamin M. Rubin, Reg. No. 44,310.</p>				
Send correspondence to		GRAHAM & JAMES LLP 600 Hansen Way Palo Alto, CA 94304-1043		Direct Phone Calls To: Marc A. Sockol: 650-856-6500
FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
	MENDEZ	DANIEL	J.	
RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
	Menlo Park	California	US	
POST OFFICE ADDRESS	STREET	CITY	STATE OR COUNTRY	ZIP CODE
	275 Gloria Circle	Menlo Park	CA	94025
FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
	RIGGINS	MARK	D.	
RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
	Mercer Island	Washington	US	
POST OFFICE ADDRESS	STREET	CITY	STATE OR COUNTRY	ZIP CODE
	3002 69th Place SE	Mercer Island	WA	98040
FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
	WAGLE	PRASAD	—	
RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
	Santa Clara	California	India	
POST OFFICE ADDRESS	STREET	CITY	STATE OR COUNTRY	ZIP CODE
	2831 Pruneridge Avenue	Santa Clara	CA	95051
FULL NAME OF INVENTOR	LAST NAME	FIRST NAME	MIDDLE NAME	
	BUI	HONG	Q.	
RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	
	Cupertino	California	US	
POST OFFICE ADDRESS	STREET	CITY	STATE OR COUNTRY	ZIP CODE
	10250 Parkwood Drive #4	Cupertino	CA	95014
I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.				
Signature Of Inventor 1		Signature Of Inventor 2		Signature Of Inventor 3
				<i>[Signature]</i>
DATE		DATE		DATE
		<i>[Signature]</i> 1/27/00		



COMBINED DECLARATION FOR PATENT APPLICATION & POWER OF ATTORNEY - Continued				ATTORNEY'S DOCKET NO: 40827.00009	
1	FULL NAME OF INVENTOR	LAST NAME NG	FIRST NAME MASON	MIDDLE NAME —	
	RESIDENCE & CITIZENSHIP	CITY Mountain View	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 217 Ada Avenue, #11	CITY Mountain View	STATE OR COUNTRY CA	ZIP CODE 94043
5	FULL NAME OF INVENTOR	LAST NAME QUINLAN	FIRST NAME SEAN	MIDDLE NAME MICHAEL	
	RESIDENCE & CITIZENSHIP	CITY San Francisco	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 155 Haight Street, #211	CITY San Francisco	STATE OR COUNTRY CA	ZIP CODE 94102
7	FULL NAME OF INVENTOR	LAST NAME YING	FIRST NAME CHRISTINE	MIDDLE NAME C.	
	RESIDENCE & CITIZENSHIP	CITY Foster City	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 1204 Moonsail Lane	CITY Foster City	STATE OR COUNTRY CA	ZIP CODE 94404
3	FULL NAME OF INVENTOR	LAST NAME ZULEEG	FIRST NAME CHRISTOPHER	MIDDLE NAME R.	
	RESIDENCE & CITIZENSHIP	CITY San Jose	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 5624 Blossom Vista Avenue	CITY San Jose	STATE OR COUNTRY CA	ZIP CODE 95124
I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.					
Signature Of Inventor 5		Signature Of Inventor 6		Signature Of Inventor 7	
DATE		DATE		DATE	



COPY

COMBINED DECLARATION FOR PATENT APPLICATION & POWER  
OF ATTORNEY

DOCKET NO.: 40827.00009

As a below named inventor, I hereby declare that:

The information given herein is true;

My residence, post office address and citizenship are as stated below next to my name;

I BELIEVE I AM THE ORIGINAL, FIRST AND SOLE INVENTOR (if only one name is listed below) OR AN ORIGINAL,  
FIRST AND JOINT INVENTOR (if plural names are listed below) OF THE SUBJECT MATTER WHICH IS CLAIMED AND  
FOR WHICH A PATENT IS SOUGHT ON THE INVENTION ENTITLED:SYSTEM AND METHOD FOR GLOBALLY AND SECURELY ACCESSING UNIFIED  
INFORMATION IN A COMPUTER NETWORK

the specification of which (check only one item below):

- ☐ is attached hereto;
- ☒ was filed on July 30, 1997 as United States  
Application Serial No. 08/903,118  
and was amended on \_\_\_\_\_ (if applicable).
- ☐ was filed on \_\_\_\_\_ as PCT International  
Application Serial No. \_\_\_\_\_  
and was amended under PCT Article 19 \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the content of the above-identified specification, including the claims, as  
amended by any amendment referred to above.I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37,  
Code of Federal Regulations Section 1.56(a).

I hereby claim the benefit under Title 35, United States, §119(e) of any United States provisional application(s) listed below.

(Application Serial No.)

(Filing Date)

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 of any foreign application(s) for patent or  
inventor's certificate or any PCT international application(s) designating at least one country other than the United States of  
America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT  
international application(s) designating at least one country other than the United States of America having a filing date before that  
of the application(s) on which priority is claimed.FOREIGN APPLICATION(S), IF ANY, FILED WITHIN 12 (6 if a Design) MONTHS PRIOR TO THE FILING DATE OF THIS  
APPLICATION THE PRIORITY OF WHICH WHERE PERMITTED IS HEREBY CLAIMED UNDER 35 U.S.C. SEC. 119.

COUNTRY	APPLICATION OF NUMBER	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)	PRIORITY CLAIMED	
				<input type="checkbox"/> yes	<input type="checkbox"/>
				<input type="checkbox"/> yes	<input type="checkbox"/>
				<input type="checkbox"/> yes	<input type="checkbox"/>

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) or PCT international  
application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the  
claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35,  
United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal  
Regulations, Section 1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international  
filing date of this application.

COMBINED DECLARATION FOR PATENT APPLICATION & POWER OF ATTORNEY - Continued					ATTORNEY'S DOCKET NO: 40827.00009	
U.S. APPLICATION NO.		U.S. FILING DATE		PATENTED	PENDING	ABANDONED
08/766,307		12/13/96			Allowed	
08/841,950		04/08/97			Pending	
08/835,997		04/11/97			Allowed	
08/865,075		05/29/97			Allowed	
PCT APPLICATIONS DESIGNATING THE U.S.						
PCT APPLICATION NO.		PCT FILING DATE		U.S. SERIAL NUMBERS		
<b>POWER OF ATTORNEY:</b> As a named inventor, I hereby appoint the following attorney(s) and/or Agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. David L. Fehrman, Reg. No. 28,600; David L. Henty, Reg. No. 31,323; William J. Robinson, Reg. No. 29,430; Stuart L. Merkadeau, Reg. No. 33,262; David B. Abel Reg. No. 32,394; Hisako Muramatsu, Reg. No. 34,955; Vincent J. Belusko, Reg. No. 30,820; Minda Schechter, Reg. No. 38,296; Victor De Gyrfas, Reg. No. 40,583; Wayne Smith, Reg. No. 42,160; Stefan J. Kirchanski, Reg. No. 36,568; Alma P. Levy, Reg. No. 43,751; Martin M. Noonan, Reg. No. 44,264; David T. Yang, Reg. No. 44,415; Marc A. Sockol Reg. No. 40,823; Benjamin M. Rubin, Reg. No. 44,310.						
Send correspondence to		<b>GRAHAM &amp; JAMES LLP</b> 600 Hansen Way Palo Alto, CA 94304-1043			Direct Phone Calls To: Marc A. Sockol: 650-856-6500	
1	FULL NAME OF INVENTOR	LAST NAME MENDEZ		FIRST NAME DANIEL		MIDDLE NAME J.
	RESIDENCE & CITIZENSHIP	CITY Menlo Park		STATE OR FOREIGN COUNTRY California		COUNTRY OF CITIZENSHIP US
	POST OFFICE ADDRESS	STREET 275 Gloria Circle		CITY Menlo Park		STATE OR COUNTRY CA ZIP CODE 94025
2	FULL NAME OF INVENTOR	LAST NAME RIGGINS		FIRST NAME MARK		MIDDLE NAME D.
	RESIDENCE & CITIZENSHIP	CITY Mercer Island		STATE OR FOREIGN COUNTRY Washington		COUNTRY OF CITIZENSHIP US
	POST OFFICE ADDRESS	STREET 3002 89th Place SE		CITY Mercer Island		STATE OR COUNTRY WA ZIP CODE 98040
3	FULL NAME OF INVENTOR	LAST NAME WAGLE		FIRST NAME PRASAD		MIDDLE NAME —
	RESIDENCE & CITIZENSHIP	CITY Santa Clara		STATE OR FOREIGN COUNTRY California		COUNTRY OF CITIZENSHIP India
	POST OFFICE ADDRESS	STREET 2831 Pruneridge Avenue		CITY Santa Clara		STATE OR COUNTRY CA ZIP CODE 95051
4	FULL NAME OF INVENTOR	LAST NAME BUI		FIRST NAME HONG		MIDDLE NAME Q.
	RESIDENCE & CITIZENSHIP	CITY Cupertino		STATE OR FOREIGN COUNTRY California		COUNTRY OF CITIZENSHIP US
	POST OFFICE ADDRESS	STREET 10250 Parkwood Drive #4		CITY Cupertino		STATE OR COUNTRY CA ZIP CODE 95014
I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.						
Signature Of Inventor 1		Signature Of Inventor 2		Signature Of Inventor 3		Signature Of Inventor 4
DATE		DATE		DATE		DATE

COMBINED DECLARATION FOR PATENT APPLICATION & POWER OF ATTORNEY - Continued				ATTORNEY'S DOCKET NO: 40827.00009	
5	FULL NAME OF INVENTOR	LAST NAME NG	FIRST NAME MASON	MIDDLE NAME ---	
	RESIDENCE & CITIZENSHIP	CITY Mountain View	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 217 Ada Avenue, # 11	CITY Mountain View	STATE OR COUNTRY CA	ZIP CODE 94043
6	FULL NAME OF INVENTOR	LAST NAME QUINLAN	FIRST NAME SEAN	MIDDLE NAME MICHAEL	
	RESIDENCE & CITIZENSHIP	CITY San Francisco	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 155 Haight Street, #211	CITY San Francisco	STATE OR COUNTRY CA	ZIP CODE 94102
7	FULL NAME OF INVENTOR	LAST NAME YING	FIRST NAME CHRISTINE	MIDDLE NAME C.	
	RESIDENCE & CITIZENSHIP	CITY Foster City	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 1204 Moonsail Lane	CITY Foster City	STATE OR COUNTRY CA	ZIP CODE 94404
8	FULL NAME OF INVENTOR	LAST NAME ZULEEG	FIRST NAME CHRISTOPHER	MIDDLE NAME R.	
	RESIDENCE & CITIZENSHIP	CITY San Jose	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 5524 Blossom Vista Avenue	CITY San Jose	STATE OR COUNTRY CA	ZIP CODE 95124
I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.					
Signature Of Inventor 5		Signature Of Inventor 6		Signature Of Inventor 7	
DATE		DATE		DATE	

COMBINED DECLARATION FOR PATENT APPLICATION & POWER OF ATTORNEY - Continued				ATTORNEY'S DOCKET NO: 40827.00009	
9	FULL NAME OF INVENTOR	LAST NAME COWAN	FIRST NAME DAVID	MIDDLE NAME J.	
	RESIDENCE & CITIZENSHIP	CITY Menlo Park	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 3000 Sand Hill Road, #3-225	CITY Menlo Park	STATE OR COUNTRY CA	ZIP CODE 94043
10	FULL NAME OF INVENTOR	LAST NAME APTEKAR-STROBER	FIRST NAME JOANNA	MIDDLE NAME A.	
	RESIDENCE & CITIZENSHIP	CITY Menlo Park	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 3000 Sand Hill Road, #3-225	CITY Menlo Park	STATE OR COUNTRY CA	ZIP CODE 94043
11	FULL NAME OF INVENTOR	LAST NAME BAILES	FIRST NAME R.	MIDDLE NAME STANLEY	
	RESIDENCE & CITIZENSHIP	CITY San Jose	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 4829 Bela Drive	CITY San Jose	STATE OR COUNTRY CA	ZIP CODE 95129
I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.					
Signature Of Inventor 9 x <i>[Signature]</i>		Signature Of Inventor 10 x <i>[Signature]</i>		Signature Of Inventor 11	
DATE x <i>Jan 27, 2000</i>		DATE x <i>Jan 26, 2000</i>		DATE	

**COMBINED DECLARATION FOR PATENT APPLICATION & POWER OF ATTORNEY**

DOCKET NO.: 40827.00009

**COPY**

As a below named inventor, I hereby declare that:

The information given herein is true;

My residence, post office address and citizenship are as stated below next to my name;

I BELIEVE I AM THE ORIGINAL, FIRST AND SOLE INVENTOR (if only one name is listed below) OR AN ORIGINAL, FIRST AND JOINT INVENTOR (if plural names are listed below) OF THE SUBJECT MATTER WHICH IS CLAIMED AND FOR WHICH A PATENT IS SOUGHT ON THE INVENTION ENTITLED:

**SYSTEM AND METHOD FOR GLOBALLY AND SECURELY ACCESSING UNIFIED INFORMATION IN A COMPUTER NETWORK**

the specification of which (check only one item below):

- ☐ is attached hereto;
- ☒ was filed on July 30, 1997 as United States  
Application Serial No. 08/903,118  
and was amended on \_\_\_\_\_ (if applicable).
- ☐ was filed on \_\_\_\_\_ as PCT International  
Application Serial No. \_\_\_\_\_  
and was amended under PCT Article 19 \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the content of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations Section 1.56(a).

I hereby claim the benefit under Title 35, United States, §119(e) of any United States provisional application(s) listed below.

(Application Serial No.)

(Filing Date)

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119 of any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America having a filing date before that of the application(s) on which priority is claimed.

FOREIGN APPLICATION(S), IF ANY, FILED WITHIN 12 (6 if a Design) MONTHS PRIOR TO THE FILING DATE OF THIS APPLICATION THE PRIORITY OF WHICH WHERE PERMITTED IS HEREBY CLAIMED UNDER 35 U.S.C. SEC. 119.

COUNTRY	APPLICATION OF NUMBER	DATE OF FILING (day, month, year)	DATE OF ISSUE (day, month, year)	PRIORITY CLAIMED	
				<input type="checkbox"/> yes	<input type="text"/>
				<input type="checkbox"/> yes	<input type="text"/>
				<input type="checkbox"/> yes	<input type="text"/>

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, Section 1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application.

COMBINED DECLARATION FOR PATENT APPLICATION & POWER OF ATTORNEY - Continued				ATTORNEY'S DOCKET NO: 40827.00009	
U.S. APPLICATION NO.		U.S. FILING DATE		PATENTED	
08/766,307		12/13/96		Allowed	
08/841,950		04/08/97		Pending	
08/835,997		04/11/97		Allowed	
08/865,075		05/29/97		Allowed	
PCT APPLICATIONS DESIGNATING THE U.S.					
PCT APPLICATION NO.		PCT FILING DATE		U.S. SERIAL NUMBERS	
<p>POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or Agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.</p> <p>David L. Fehrman, Reg. No. 28,600; David L. Henty, Reg. No. 31,323; William J. Robinson, Reg. No. 29,430; Stuart L. Merkadeau, Reg. No. 33,262; David B. Abel Reg. No. 32,394; Hisako Muramatsu, Reg. No. 34,955; Vincent J. Belusko, Reg. No. 30,820; Minda Schechter, Reg. No. 38,296; Victor De Gyrfas, Reg. No. 40,583; Wayne Smith, Reg. No. 42,160; Stefan J. Kirchanski, Reg. No. 36,568; Alma P. Levy, Reg. No. 43,751; Martin M. Noonan, Reg. No. 44,264; David T. Yang, Reg. No. 44,415; Marc A. Sockol Reg. No. 40,823; Benjamin M. Rubin, Reg. No. 44,310.</p>					
Send correspondence to		GRAHAM & JAMES LLP 600 Hansen Way Palo Alto, CA 94304-1043		Direct Phone Calls To: Marc A. Sockol: 650-856-6500	
1	FULL NAME OF INVENTOR	LAST NAME MENDEZ		FIRST NAME DANIEL	
				MIDDLE NAME J.	
	RESIDENCE & CITIZENSHIP	CITY Menlo Park		STATE OR FOREIGN COUNTRY California	
				COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 275 Gloria Circle		CITY Menlo Park	
				STATE OR COUNTRY CA	
				ZIP CODE 94025	
	FULL NAME OF INVENTOR	LAST NAME RIGGINS		FIRST NAME MARK	
				MIDDLE NAME D.	
RESIDENCE & CITIZENSHIP	CITY Mercer Island		STATE OR FOREIGN COUNTRY Washington		
			COUNTRY OF CITIZENSHIP US		
POST OFFICE ADDRESS	STREET 3002 89th Place SE		CITY Mercer Island		
			STATE OR COUNTRY WA		
			ZIP CODE 98040		
3	FULL NAME OF INVENTOR	LAST NAME WAGLE		FIRST NAME PRASAD	
				MIDDLE NAME —	
	RESIDENCE & CITIZENSHIP	CITY Santa Clara		STATE OR FOREIGN COUNTRY California	
				COUNTRY OF CITIZENSHIP India	
	POST OFFICE ADDRESS	STREET 2831 Pruneridge Avenue		CITY Santa Clara	
				STATE OR COUNTRY CA	
				ZIP CODE 95051	
	FULL NAME OF INVENTOR	LAST NAME BUI		FIRST NAME HONG	
				MIDDLE NAME Q.	
RESIDENCE & CITIZENSHIP	CITY Cupertino		STATE OR FOREIGN COUNTRY California		
			COUNTRY OF CITIZENSHIP US		
POST OFFICE ADDRESS	STREET 10250 Parkwood Drive #4		CITY Cupertino		
			STATE OR COUNTRY CA		
			ZIP CODE 95014		
I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.					
Signature Of Inventor 1		Signature Of Inventor 2		Signature Of Inventor 3	
DATE		DATE		DATE	



COMBINED DECLARATION FOR PATENT APPLICATION & POWER OF ATTORNEY - Continued				ATTORNEY'S DOCKET NO: 40827.00009	
5	FULL NAME OF INVENTOR	LAST NAME NG	FIRST NAME MASON	MIDDLE NAME —	
	RESIDENCE & CITIZENSHIP	CITY Mountain View	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 217 Ada Avenue, # 11	CITY Mountain View	STATE OR COUNTRY CA	ZIP CODE 94043
6	FULL NAME OF INVENTOR	LAST NAME QUINLAN	FIRST NAME SEAN	MIDDLE NAME MICHAEL	
	RESIDENCE & CITIZENSHIP	CITY San Francisco	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 155 Haight Street, #211	CITY San Francisco	STATE OR COUNTRY CA	ZIP CODE 94102
7	FULL NAME OF INVENTOR	LAST NAME YING	FIRST NAME CHRISTINE	MIDDLE NAME C.	
	RESIDENCE & CITIZENSHIP	CITY Foster City	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 1204 Moonsail Lane	CITY Foster City	STATE OR COUNTRY CA	ZIP CODE 94404
8	FULL NAME OF INVENTOR	LAST NAME ZULEEG	FIRST NAME CHRISTOPHER	MIDDLE NAME R.	
	RESIDENCE & CITIZENSHIP	CITY San Jose	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 5524 Blossom Vista Avenue	CITY San Jose	STATE OR COUNTRY CA	ZIP CODE 95124
I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.					
Signature Of Inventor 5		Signature Of Inventor 6		Signature Of Inventor 7	
DATE		DATE		DATE	

COMBINED DECLARATION FOR PATENT APPLICATION & POWER OF ATTORNEY - Continued				ATTORNEY'S DOCKET NO: 40827.00009	
9	FULL NAME OF INVENTOR	LAST NAME COWAN	FIRST NAME DAVID	MIDDLE NAME J.	
	RESIDENCE & CITIZENSHIP	CITY Menlo Park	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 3000 Sand Hill Road, #3-225	CITY Menlo Park	STATE OR COUNTRY CA	ZIP CODE 94043
10	FULL NAME OF INVENTOR	LAST NAME APTEKAR-STROBER	FIRST NAME JOANNA	MIDDLE NAME A.	
	RESIDENCE & CITIZENSHIP	CITY Menlo Park	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 3000 Sand Hill Road, #3-225	CITY Menlo Park	STATE OR COUNTRY CA	ZIP CODE 94043
11	FULL NAME OF INVENTOR	LAST NAME BAILES	FIRST NAME R.	MIDDLE NAME STANLEY	
	RESIDENCE & CITIZENSHIP	CITY San Jose	STATE OR FOREIGN COUNTRY California	COUNTRY OF CITIZENSHIP US	
	POST OFFICE ADDRESS	STREET 4829 Bela Drive	CITY San Jose	STATE OR COUNTRY CA	ZIP CODE 95129
I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.					
Signature Of Inventor 9		Signature Of Inventor 10		Signature Of Inventor 11 X <i>R. Stanley Bailes</i>	
DATE		DATE		DATE X <i>9/3/2000</i>	
				Signature Of Inventor 12	
				DATE	

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF MAILING

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231, on

Date: 2-25-98

By:

*Melinda L. Lupton*

In Re Application Of:

Daniel J. Mendez et al.

Serial No: 08/903,118

Filed: July 30, 1997

For: System And Method For Globally  
And Securely Accessing Unified  
Information In A Computer Network

Art Unit: 2756

Examiner: Unassigned

Assistant Commissioner for Patents  
Washington, D.C. 20231

POWER OF ATTORNEY BY ASSIGNEE  
AND REVOCATION OF PREVIOUS POWERS

Sir:

As assignee of record of the entire interest of the above identified application, a copy of the assignment as filed on May 29, 1997 is enclosed herewith, all powers of attorney previously given are hereby revoked and the following attorney(s) are hereby appointed to prosecute and transact all business in the Patent and Trademark Office connected therewith:

David L. Fehrman, Reg. No. 28,600; David L. Henty, Reg. No. 31,323; William J. Robinson, Reg. No. 29,430; Stuart L. Merkadeau, Reg. No. 33,262; David B. Abel Reg. No. 32,394; Hisako Muramatsu, Reg. No. 34,955; Brian M. Berliner, Reg. No. 34,549; David J. Meyer, Reg. No. 33,425; Lawrence W. Granatelli, Reg. No. 32,228; Vincent J. Belusko, Reg. No. 30,820; Minda Schechter, Reg. No. 38,296; Laura A. Majerus, Reg. No. 33,417; Joseph K. Hollinger Reg. No. 40,649; Jonathan T. Kaplan Reg. No. 38,935; Marc A. Sockol Reg. No. 40,823; Ian Cartier Reg. No. 38,406 of Graham & James LLP.

Please direct all telephone calls and correspondence to:

Marc A. Sockol, Esq.  
Graham & James LLP  
600 Hansen Way  
Palo Alto, CA 94304-1043  
(650) 856-6500

Respectfully submitted,

Assignee of Entire Interest  
Roampage, Inc.  
1937 Landings Drive  
Mountain View, CA 94043

Date:

2/10/98

By:

Title:

Hong Q. Bui  
Vice President

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

## In Re Application Of:

Daniel J. Mendez et al.

Examiner: Unassigned

Serial No: Unassigned

Art Unit: Unassigned

Filed: Unassigned

For: SYSTEM AND METHOD FOR  
GLOBALLY AND SECURELY  
ACCESSING UNIFIED  
INFORMATION IN A COMPUTER  
NETWORK

Box – New Patent Application  
Assistant Commissioner for Patents  
Washington, D.C. 20231

## NOTICE OF CHANGE OF NAME

Sir:


On behalf of a merger, the name of Applicant's representative has been changed from Graham & James LLP to Squire, Sanders & Dempsey L.L.P. All operations will be handled under the name of Squire, Sanders & Dempsey L.L.P. The mailing address remains the same and all future correspondence should be addressed to the same.

Please change your records to reflect the new name.

Date: September 20, 2000


Squire, Sanders & Dempsey L.L.P.  
600 Hansen Way  
Palo Alto, CA 94304-1043  
(650) 856-6500

Respectfully submitted,



By: Marc A. Sockol  
Attorney for Applicant(s)  
Registration No. 40,823

United States Patent & Trademark Office  
Office of Initial Patent Examination -- Scanning Division



Application deficiencies were found during scanning:

☐ Page(s) \_\_\_\_\_ of \_\_\_\_\_ were not present  
for scanning. (Document title)

☐ Page(s) \_\_\_\_\_ of \_\_\_\_\_ were not present  
for scanning. (Document title)

☒ Scanned copy is best available.

*Declaration*